



April 21, 2014

## Mental Illness Not Usually Linked to Crime, Research Finds

*Most offenders didn't display pattern of crime related to mental illness symptoms over their lifetime, according to study*

### Related

How Often and How Consistently do Symptoms Directly Precede Criminal Behavior Among Offenders With Mental Illness?  
(/pubs/journals/releases/lhb-0000075.pdf) (PDF, 168KB)

WASHINGTON — In a study of crimes committed by people with serious mental disorders, only 7.5 percent were directly related to symptoms of mental illness, according to new research published by the American Psychological Association.

Researchers analyzed 429 crimes committed by 143 offenders with three major types of mental illness and found that 3 percent of their crimes were directly related to symptoms of major depression, 4 percent to symptoms of schizophrenia disorders and 10 percent to symptoms of bipolar disorder.

“When we hear about crimes committed by people with mental illness, they tend to be big headline-making crimes so they get stuck in people’s heads,” said lead researcher Jillian Peterson, PhD. “The vast majority of people with mental illness are not violent, not criminal and not dangerous.”

The study was conducted with former defendants of a mental health court in Minneapolis. The participants completed a two-hour interview about their criminal history and mental health symptoms, covering an average of 15 years. The study, published online in the APA journal *Law and Human Behavior* (/pubs/journals/lhb/index.aspx), may be the first to analyze the connection between crime and mental illness symptoms for offenders over an extended period of their lives, said Peterson, a psychology professor at Normandale Community College in Bloomington, Minn.

The study didn’t find any predictable patterns linking criminal conduct and mental illness symptoms over time. Two-thirds of the offenders who had committed crimes directly related to their mental illness symptoms also had committed unrelated crimes for other reasons, such as poverty, unemployment, homelessness and substance abuse, according to the research. “Is there a small group of people with mental illness committing crimes again and again because of their symptoms? We didn’t find that in this study,” Peterson said.

In the United States, more than 1.2 million people with mental illness are incarcerated in jails or prisons, according to the federal Bureau of Justice Statistics. People with mental illnesses also are on probation or parole at two to four times the rate for the general population.

In addition to interviews with offenders, the researchers reviewed criminal history and social worker files to help rate crimes based on their association with symptoms of schizophrenia disorders

(hallucinations and delusions), bipolar disorder (impulsivity and risk-taking behavior) or major depression (hopelessness and suicidal thoughts). The ratings were: no relationship between mental illness symptoms and the crime, mostly unrelated, mostly related or directly related.

A crime could be rated as mostly unrelated or mostly related to mental illness symptoms if those symptoms contributed to the cause of the crime but weren't solely responsible for it. For example, an offender with schizophrenia who was agitated because he heard voices earlier in the day later got into a bar fight, but he wasn't hearing voices at the time of the altercation, so the crime was categorized as mostly related.

When the directly related and mostly related categories were combined, the percentage of crimes attributed to mental illness symptoms increased from 7.5 percent to 18 percent, or less than 1 in 5 of the crimes analyzed in the study. Of crimes committed by participants with bipolar disorder, 62 percent were directly or mostly related to symptoms, compared with 23 percent for schizophrenia and 15 percent for depression. Some participants may have described their mood as "manic" during a crime even though they could have just been angry or abusing drugs or alcohol, so the percentage of crimes attributed to bipolar disorder may be inflated, Peterson said.

Almost two-thirds of the study participants were male, with an average age of 40. They were evenly divided between white and black offenders (42 percent each, 16 percent other races), and 85 percent had substance abuse disorders. The study did not include offenders with serious violent offenses because the mental health court did not adjudicate those crimes, but the participants did describe other violent crimes they had committed. The study also did not examine how substance abuse interacted with mental illness to influence criminal behavior.

The researchers said programs designed to reduce recidivism for mentally ill offenders should be expanded beyond mental health treatment to include cognitive-behavioral treatment about criminal thinking, anger management and other behavioral issues. Programs to address basic needs also are essential to reduce recidivism for all offenders after incarceration, including drug treatment and housing and employment support, Peterson said.

**Article:** "How Often and How Consistently do Symptoms Directly Precede Criminal Behavior Among Offenders With Mental Illness?"; Jillian Peterson, PhD, Normandale Community College; Patrick Kennealy, PhD, University of South Florida; Jennifer Skeem, PhD, University of California-Irvine; Beth Bray, BA, University of North Dakota; and Andrea Zvonkovic, BA, Columbia University; *Law and Human Behavior*, online April 15, 2014.

**Jillian Peterson** can be contacted by email (<mailto:Jillian.Peterson@normandale.edu>) or by phone at (651) 434-9427.

*The American Psychological Association, in Washington, D.C., is the largest scientific and professional organization representing psychology in the United States. APA's membership includes nearly 130,000 researchers, educators, clinicians, consultants and students. Through its divisions in 54 subfields of psychology and affiliations with 60 state, territorial and Canadian provincial associations, APA works to advance the creation, communication and application of psychological knowledge to benefit society and improve people's lives.*

## Contact

Public Affairs  
(202) 336-5700

# Advancing psychology to benefit society and improve people's lives



## PSYCHOLOGISTS

Standards & Guidelines  
PsycCareers  
Divisions of APA  
Ethics  
Early Career Psychologists  
Continuing Education  
Renew Membership

## STUDENTS

Careers in Psychology  
Accredited Psychology Programs  
More for Students

## ABOUT PSYCHOLOGY

Science of Psychology  
Psychology Topics

## PUBLICATIONS & DATABASES

APA Style  
Journals  
Books  
Magination Press  
Videos  
PsycINFO  
PsycARTICLES  
More Publications & Databases

## ABOUT APA

Governance  
Directorates and Programs  
Policy Statements  
Press Room  
Advertise with Us  
Work at APA  
Contact Us

## MORE APA WEBSITES

ACT Raising Safe Kids Program  
American Psychological Foundation  
APA Annual Convention  
APA Center for Organizational Excellence  
APA Education Advocacy Trust  
APA Practice Central  
APA PsycNET®  
APA Style  
Online Psychology Laboratory  
Psychology: Science in Action

## GET INVOLVED

Advocate      Participate      Donate  
  
Join APA

Privacy Statement   Terms of Use  
Accessibility   Website Feedback

**FOLLOW APA**

more



© 2017 American Psychological Association

750 First St. NE, Washington, DC 20002-4242 | Contact Support

Telephone: (800) 374-2721; (202) 336-5500 | TDD/TTY: (202) 336-6123